

GLASS CUTTERS

MICRO FINISH STEEL WHEEL – BRONZE AXLES BALL TAPPING HANDLE

Cat. #	Color Code	Hone Angle	Cutting Purpose
02	All Green	120°	General cutting of sheet glass.
07	Blue Band	114°	Opalescent and hard glass.



CARBIDE WHEEL “GOLD TIP” GLASS CUTTERS UNUSUAL LASTING QUALITY (Silver Band)

Catalog # CA9

This cutter has the exceptionally high quality inherent in all Fletcher tools. The CA9 has a carbide wheel for longer lasting and sharper cutting.



RESERVOIR OIL CUTTER FOR PATTERN CUTTING

Catalog # SC-1

This cutter features a refillable oil reservoir in the handle which releases a small amount of oil to the cutter wheel when handle is depressed. Carbide wheels outlast conventional cutters by far.



TOYO

REPLACEMENT HEAD

Catalog # SC-1A

RESERVOIR OIL CUTTER FOR PRODUCTION CUTTING METAL HANDLE

Catalog # SC-2

Same as SC-1, but with a large head for production cutting.



TOYO

REPLACEMENT HEAD

Catalog # SC-2A

REPLACEMENT HEAD FOR PLATE AND THICK GLASS

Catalog # SC-3A

RESERVOIR OIL CUTTER FOR PRODUCTION CUTTING PLASTIC HANDLE

Catalog # SC-3

Same as above, but with a plastic handle.



TOYO

REPLACEMENT HEAD

Catalog # SC-1A

CUSTOM GRIP SUPERCUTTER

Catalog # SC-5C

This cutter features a custom grip and a refillable oil reservoir in the handle. Neon colored handles are sent at random. Color cannot be specified.



TOYO

REPLACEMENT HEAD FOR SC-5C SUPERCUTTER ONLY

Catalog # SC-5A

RESERVOIR OIL CUTTER

Catalog # SC-6C



The oil "HAND" cutter was designed for easy grip. This cutter is excellent for production cutting and also gives great leverage for pattern cutting. The "HAND" cutter has an extra large oil reservoir and is lightweight. Neon colored handles are sent by random, color can not be specified.

TOYO

REPLACEMENT HEAD

Catalog # SC-1A

NEON COLORED OIL CUTTER WITH COMFORT GRIP

Catalog # SC-7C



This "Supercutter" has a newly shaped handle to fit comfortably in your hand. Standard blades are replaceable and has a neon colored transparent handle which allows users to check oil levels by sight. Neon colored handles are sent by random, color can not be specified.

TOYO

REPLACEMENT HEAD

Catalog # SC-1A

THOMAS GRIP CUTTER

Catalog # SC-8C



This cutter rests between the index and middle finger to give sure control for precision pattern cutting. Body rotates 360° around finger grip. Neon colored handles are sent by random. Color can not be specified.

TOYO

REPLACEMENT HEAD

Catalog # SC-1A

CUTTER COZY

Catalog # CC1



Foam cushion for super cutters. Just fit over your hand cutter for a more comfortable grip. Fits SC-1 SC-3, and SC-7C.

GRYPHON GLASS CUTTERS

Catalog # GDS-C1

BRASS

Catalog # GDS-C3

PISTOL GRIP



GRYPHON has designed a uniquely shaped cutter head that jets out in front which allows you to better see where you are going.



GRYPHON REPLACEMENT HEAD

Catalog # GDS-CR

DIAMANTOR IMPORTED GLASS CUTTER


Catalog # 200

The unique handle has a "safe-grip" finger notch and a comfortable, well balanced feel. Made in Germany.



SCOREMASTER I SYSTEM—SOLID HANDLE

Catalog # SCM-1




The Scoremaster I System features a comfort contoured handle and universal grip that cuts glass in a pull or push stroke. It does not have an oil reservoir. All three heads are completely interchangeable (snap-out) with tungsten carbide wheels. The Scoremaster I comes with a 140° small wheel size for general purpose work, and can be set for swivel position cutting or fixed (locked pin) position. The head wheel slot and axle are hardened steel to prevent wear and accurately guide the cutting wheel.



SCOREMASTER II SYSTEM—OIL RESERVOIR

Catalog # SCM-2



The Scoremaster II System features an oil reservoir and flow valve system that resists leaking, as well as a contoured comfort handle and universal grip for push or pull cutting. All three heads are completely interchangeable (snap-out) and come with tungsten carbide wheels. The Scoremaster II comes with a 140° small wheel size for general purpose glass work, and can be set for swivel position cutting or fixed (locked pin) position cutting. The head, wheel slot and axle are hardened steel to prevent wear and accurately guide the cutting wheel.



REPLACEMENT HEADS FOR FLETCHER SCOREMASTER CUTTERS.

- Catalog # SCM-701 140° small wheel for general purpose glass work.
- Catalog # SCM-703 114° medium wheel for hard thin glass.
- Catalog # SCM-706 140° wide head, medium wheel for straight-edge work.
- Catalog # FT-720 0 rings (Pkg. of ten)



DESIGNER II CUTTERS

Catalog # FT-711 CLEAR PLASTIC PENCIL GRIP

Catalog # FT-713 SOLID BRASS PENCIL GRIP

Catalog # FT-714 CLEAR PLASTIC PISTOL GRIP



Designer II glass cutters feature the innovative Fiberlock, anti-leak, fluid dispensing valve system that lays down a perfect bead of cutting fluid along the score. Available in three styles, all Designer II glass cutters come with 140 degree long-life tungsten carbide cutting wheels and the option for fixed or swivel head cutting. Interchangeable wide and narrow heads for straight line or pattern cutting available. The solid brass and plastic contoured handle pencil grip cutters each include a tapping ball for easy break-out of glass.

- Catalog # FT-03-711 **WIDE REPLACEMENT HEAD 140°**
- Catalog # FT-03-712 **NARROW REPLACEMENT HEAD 140°**
- Catalog # FT-03-713 **WIDE REPLACEMENT HEAD 154° (PLATE GLASS)**



SMALL LENS CUTTER

Catalog # 32




It will cut circles as small as 1/2" diameter and as large as 5" diameter. A graduated rod makes it a simple matter to quickly adjust the cutter for any size circle within the limits of the machine. A turret containing three wheels makes wheel changing simple. When necessary the entire unit can be replaced in a matter of seconds. The overall size is 8" long, 6" wide and 5" high.

Catalog # 3T **REPLACEMENT 3-WHEEL TURRET**



CIRCLE-PRO 12

Catalog # CSG-CP12



This unique circle cutter can cut circles from 3/8" up to 12". It utilizes the Toyo cutting head, so you know you will be getting the best score possible each time. It is packed with 1- 12" x 12" waffle grid that the apparatus plugs into. It will also fit into the Morton System grid surface. Also packed with 8 friction buttons to keep your glass in place while you cut.

Catalog # SC-1A **REPLACEMENT HEAD**

CUTTER'S MATE (Shown) This is Cutter's Mate most portable model, Arm length: 16" Longest straight cut: 42.5".


Catalog # CSG-1

CUTTER'S MATE PLUS Very portable with more cutting area and stability than the smaller Cutter's Mate model. Arm Length: 21" Longest straight cut: 61.5"

Catalog # CSG-2

CUTTER'S MATE COMMERCIAL Cutter's Mate premium model--handles all cutting needs, great or small. Arm length 30" Longest straight cut: 94.5".


Catalog # CSG-3



Ideal for taking on the road. Cutter's mate glides effortlessly across the glass while maintaining a constant 90-degree angle to the surface. You will experience greater comfort and ease in scoring glass. The cutting head can be rotated a full 360 degrees, giving you the ability to cut any shape you can draw or trace. You can even score glass while sitting down. With Cutter's Mate, you can cut glass longer with less fatigue and greater comfort.

STRIPPER AND CIRCLE CUTTER

Catalog # 3016



This is a unique combination tool designed specifically for stained glass. The stripper can cut glass into squares, rectangles and diamonds from 1/2" to 12" wide. The circle cutter attachment can cut circles from 3" to 24" in diameter. The "Stripper and Circle Cutter" is great for border pieces and production cutting. This combination tool contains three pieces: T-bar with a 6-wheel cutter turret and a 12" scale, circle cutter base, and a stripper base. The T-bar attaches to either base.

Catalog # 3016A **REPLACEMENT 6-WHEEL TURRET**

COMBINATION STRIPMAKER/CIRCLEMAKER

Catalog # 50060



This simple-to-use tool scores glass, plus marks or cuts strips and circles on plastic sheet, cardboard, poster board, foam core, fabrics, construction paper, corrugated kraft board, particle board and many other materials. Use your existing glass cutter and marking pens or pencils for design work. Use a razor knife for repeat cuts or perfect circles.

CIRCLE MATE II CIRCLE AND STRIP CUTTER

Catalog # CM-2




This circle cutter has a vacuum suction cup to hold center positioned. Comes with arm to do 24" maximum circles, circle cutting base and strip cutting base and a 3-wheel turret. Extension arms to cut up to 48" or 72" circles may be purchased separately.

- Catalog # CM-2A **REPLACEMENT 3-WHEEL TURRET**
- Catalog # CM-2B **REPLACEMENT CARBIDE WHEEL**
- Catalog # CM-2-48 **EXTENSION ARM FOR 48" CIRCLES**
- Catalog # CM-2-72 **EXTENSION ARM FOR 72" CIRCLES**
- Catalog # FT-02-614 **REPLACEMENT 6-WHEEL TURRET**



Catalog # FT-05-221 **CIRCLE OVAL CUTTER**



The Fletcher Oval/Circle Glass Cutter will score circle from 4-1/4 to 21-1/2 inches wide, (108mm to 546mm). In addition, it will score ovals up to 3", (75mm), longer than their width. The largest oval is 21-1/2" wide by 24-1/2 inches long, (546mm by 622mm).

Catalog # FT-03-131 **REPLACEMENT HEAD**



SCORE 1 CUTTER

Catalog # SCR-1



The glass cutter that looks like a little sewing machine. Brass and carbide cutter head provides even, consistent pressure for better glass breaking. Great for the lamp craftsperson.

- Catalog # SCR-2 **REPLACEMENT HEAD**
- Catalog # SCR-3 **CIRCLE CUTTER ATTACHMENT**
- Catalog # SCR-4-3/8 **REPLACEMENT TREAD (New Model 3/8" WIDE)**
- Catalog # SCR-4-1/2 **REPLACEMENT TREAD (Old Model 1/2" WIDE)**



IMPORTED PLIERS

Catalog # 4112-PRO **BREAKER-GROZIER COMBINATION PLIER**

A 6" curved jaw plier for breaking and grozing. Comes with rubber coated handle.



Catalog # 4113-PRO **BREAKER-GROZIER COMBINATION PLIER (NARROW JAW)**

A 6" curved jaw breaking-grozing plier with a special jaw width of only 5/32" for small inside curves. Comes with rubberized handles for comfort.



Catalog # 4114-PRO **GLASS BREAKING PLIER**

A 6 1/2" breaking plier; the jaws are smooth and have rubberized handles for comfort.



Catalog # 4121-PRO **CUT-RUNNING PLIER, METAL**


Adjustable, curved jawed, cut-running pliers for running a score. The adjustment feature allows for precise setting of jaw closure height.



Catalog # 4121JI **REPLACEMENT TIP COVERS**

Catalog # 4116-PRO **'FISHLIPS' GROZING PLIER**

An efficient new concept in grozing pliers. Able to groze more complex inside curves easier and faster than conventional groziers.



Catalog # 4110-PRO **PLASTIC RUNNING PLIER**

Light weight ABS plastic running plier. Similar to # 189 Fletcher plier. Comes complete with extra set of jaws.



9" HEAVY DUTY BREAKER

Catalog # 4210-PRO


A heavy duty 9" drop jaw breaker plier. 7/8" jaw width. Made in Taiwan for Leponitt.



BREAKING-GROZING PLIER

Catalog # FO-5

A 6" curved jaw glass breaking-grozing plier with a 3/8" jaw width and plastic covered comfort handles. (Spring loaded.) Exceptionally high quality .



BREAKING/RUNNING PLIERS

6" RUNNING PLIER

Catalog # 169

Fletcher plastic cut-running pliers are lightweight, of rugged construction, comfortable, and like all Fletcher products, of top professional quality.



Catalog # 169-JI

REPLACEMENT JAW INSERTS



8" RUNNING PLIER

Catalog # 189

Fletcher plastic cut-running pliers are lightweight, of rugged construction, comfortable, and like all Fletcher products, of top professional quality.



Catalog # 189-JI

REPLACEMENT JAW INSERTS



RINGSTAR GLASS BREAKING PLIER

Catalog # GRS

A unique running plier with a patented pressure system designed specifically for curves. Based on a ring design, a window allows the user to accurately position the plier over the score to run in any direction. The long flexible handles make it effortless to start a run and easy control it accurately.



Catalog # GRS-JI


REPLACEMENT JAW INSERTS



GLASS SNAPPER

Catalog # GS-1

Easy to hold spring loaded breaking plier, this means no fumbling. For use with glass up to 1/2" (4mm).



MOSAIC CUTTERS

MOSAIC CUTTER

Catalog # 4117-Pro

This quality tool is designed to easily cut glass without the use of a traditional glass cutter. Good at quickly cutting small pieces of glass and at removing small points from a piece of glass. Made in Taiwan for Leponitt.



Catalog # 4117-JI

REPLACEMENT CUTTING WHEELS



LEAD DIKES

ADJUSTABLE LEAD DIKE

Catalog # FO-7

A 6" adjustable lead dike with plastic covered comfort handles. The adjustable capability allows for extended blade life. These excellent cutters are also spring loaded for ease of use.



LEAD CAME CUTTER 6"

Catalog # 4120-PRO

This "Pro" lead dike is spring loaded. Comes with rubber coated handles.



PROFESSIONAL LEAD CAME CUTTER 6"

Catalog # M56RP

This tool cuts lead came with a minimal amount of distortion and effort. Has a flush ground flat back for close cutting. The M56RP is spring loaded and has an adjustable stop.



Crescent[®]


LEAD KNIVES

LEAD KNIFE

Catalog # FO-4

The most unique knife on the market today. The tapered blade needs less pressure & the vertical design gives more leverage. Weighted alloy handle. Very high quality steel blade.

(Made In Japan)



LEAD KNIFE

Catalog # 4003-PRO

Similar to FO-4, with stainless steel blade and weighted handle.



SURE CUT LEAD CAME CUTTER

Catalog # LC-2

This lead cutter has a small rotating table with settings for 45 deg. and 90 deg. for easy precision cuts. Great for production work.

REPLACEMENT BLADE (1 per pkg)

Catalog # LC-2B



LC-2

BLADE SHARPENER (1 per pkg)

Catalog # LC-2C



LC-2B



LC-2C

PATTERN SHEARS

"FAN OUT" PATTERN SHEARS

Catalog # 4007-FO-F For Foil
Catalog # 4007-FO-L For Lead



"Fan Out" pattern shears are absolutely the finest shears to enter the stained glass market to date. They offer high quality stainless steel blades. The handles are durable resin contoured to guarantee comfort during many hours of pattern cutting.

MIKA COMBINATION PATTERN SHEARS

Catalog # 4007-M



This "Two In One" pattern shear features interchangeable super sharp stainless steel lead and foil blades which are easily exchanged with a simple twist of the unique locking device.



MIKA PATTERN SHEARS

Catalog # 4007-MF For Foil
Catalog # 4007-ML For Lead



This pattern shear features sharp stainless steel blades with ambidextrous color coded handles. White for Foil, Red for Lead and Green for Mosaic. Patented "over-ride" insures that cuts can be made to the tip, with ejection of waist from between the blades.



INLAND PATTERN SHEARS

Catalog # 4007-IA-F For Foil
Catalog # 4007-IA-L For Lead



This pattern shear features sharp stainless steel blades with ambidextrous color coded handles. Black for Foil, & Gray for Lead.



JAMES PATTERN SHEARS

Catalog # 4007-I-F For Foil
Catalog # 4007-I-L For Lead



This pattern shear takes the hassle out of pattern cutting. A unique blade design and precision stainless steel blades virtually eliminate jamming, tearing or folding. The ergonomic handles make them comfortable to hold and easy to use. Can be used right or left handed.



DUALCUT KNIFE

Catalog # DLC-K For Foil & Lead
Catalog # DLC-RB Replacement Blades
Package of 5



This pattern knife is designed to fit 2 blades. It comes with 2 blade chucks, 1 for foil and 1 for lead. Designed for use with DUALCUT pattern vinyl (see section 3 page 13). Simply trace pattern onto vinyl, cut lines with knife, peel out cut lines, retrace lines with sharpie pen, peel patterns and place onto glass to be cut and ground. Re-using the vinyl backing that you have retraced the pattern with your sharpie pen as layout pattern, replace glass pieces onto layout pattern for construction process.

AMERICAN HAKKO SOLDERING IRONS

60 WATT SOLDERING IRON 120 V.

Catalog # AH-60



HAKKO REPLACEMENT PARTS FOR AH-60

Catalog # AH-60A 3/16" REPLACEMENT TIP

The "Red" was specially designed for the new hobbyist. It is 9 1/2" long and extremely lightweight. Features a plastic handle that remains cool while working. The iron includes a 3/16" chisel tip that is able to maintain excellent heat. This 60 watt iron is ideal for kits. Use with stand AH-602.



80 WATT SOLDERING IRON 120 V.

Catalog # AH-80

100 WATT SOLDERING IRON 120 V.

Catalog # AH-100



HAKKO REPLACEMENT PARTS FOR AH-80

Catalog # AH-ED7 3/8" CHISEL TIP
Catalog # AH-80H HEATING ELEMENT

HAKKO REPLACEMENT PARTS FOR AH-100

Catalog # AH-ED8 3/8" CHISEL TIP
Catalog # AH-100H HEATING ELEMENT

These might look like other wood handled irons that are on the market. They aren't. The nickel-chromium heating element is wrapped in layers of mica. The soldering tips are made of the highest quality copper with iron plating and tinned with 60/40 solder. The shaft is alumina coated giving longer life and less freezing of the tip in the iron. Remember to release the tip screw after using this iron for better results and longer tip life. Use with #AH-603 stand.



60 WATT SUPER PRO SOLDERING IRON 120 V., 1000°, U.L. Listed

Catalog # AH-456



HAKKO REPLACEMENT TIPS FOR AH-456

Catalog # AH-1026 3/16" CHISEL TIP
Catalog # AH-1179 3/8" CHISEL TIP

The AH-456 iron idles at about 1000°F, comes with a very large long life ceramic heating element, and specially crafted tip that makes this iron a work horse. It is designed with a special casing around the heating element to keep the tip from "freezing" to the element. this iron can also be used with a rheostat. Use with #AH-633 stand.



150 WATT 120V., 800°, U.L. Listed

Catalog # AH-150



HAKKO REPLACEMENT TIPS FOR AH-150

Catalog # AH-CA127 1/2" Diameter Pointed Tip

This is a large heavy duty iron with the power switch built right into the iron handle. Designed for large, high mass objects.



200 WATT
120V., 800°, U.L. Listed
Catalog # AH-200

This is a large heavy duty iron with the power switch built right into the iron handle. Designed for large, high mass objects.



HAKKO REPLACEMENT TIPS FOR AH-200

Catalog # AH-CA16 **5/8" Diameter Pointed Tip**

Catalog # AH-915
60 WATT CONVERTIBLE SOLDERING IRON-GUN
120V., 800°, U.L. Listed

The AH-915 features the unique Hakko detachable handle. This Iron converts easily from pen to gun configuration, the tip is protected for storage. Use with AH-602 stand.



HAKKO REPLACEMENT TIPS FOR AH-915

Catalog # AH-ED6 **3/16" CHISEL TIP**

85 WATT TEMPERATURE CONTROLLED SOLDERING IRON
120V., 800°, U.L. Listed
Catalog # AH-918

This iron is unique in its design. The ceramic heater element never overheats. The temperature control sensor is built right into the heating element which means faster more stable temperature control. The soldering tip is made of high grade copper with special iron plating. The shaft of the tip is chrome plated and the tip tinned with 60/40 solder to ensure long life. A rheostat can be used with this iron to lower temperature for decorative work or work with came. Use with #AH-C1100 stand.



HAKKO REPLACEMENT TIPS FOR AH-918

- | | | |
|---------------------------|--------------|------------------------|
| <i>Catalog # AH-918-1</i> | 1/16" | MINI CHISEL |
| <i>Catalog # AH-918-2</i> | 3/32" | STANDARD CHISEL |
| <i>Catalog # AH-918-3</i> | 1/8" | LARGE CHISEL |
| <i>Catalog # AH-918-6</i> | 1/4" | LARGE CHISEL |
| <i>Catalog # AH-918-B</i> | | CONICAL |



Catalog # AH-493

SMOKE ABSORBER



This smoke absorber is designed to remove noxious gasses, safely, quickly and efficiently with a low noise high performance fan. The filter is made by joining specific urethane foam with refined activated carbon having a high absorbing performance.

Catalog # AH-A1001

SMOKE ABSORBER FILTERS 5-PACK



AMERICAN HAKKO ACCESSORIES

Catalog # AH-1023

SMOKE ABSORBER EXTENSION ARM

The extension arm for the smoke absorber allows you to position the smoke absorber for maximum smoke absorption. It is made of high grade durable steel has a clamp capable of clamping to almost any surface. AH-493 not included.



HAKKO SOLDERING IRON STAND WITH TIP CLEANER

Catalog # AH-633



Hakko's soldering iron stand is made of metal with a high-temperature plastic holding sleeve. This stand comes with The AH-599 tip cleaner. For use with AH-456.

HAKKO SOLDERING IRON STAND

Catalog # AH-602



The Iron holder 602 is designed so that the iron can be quickly, easily and safely set down. The stand is simple to assemble and disassemble for storage.

REPLACEMENT SPONGE

Catalog # AH-602RS



TIP CLEANER TRAY

Catalog # AH-599



Hakko's soldering iron tip cleaner tray has a brass wire which cleans tip better than standard sponge trays.

TIP CLEANER REPLACEMENT WIRE for #AH-633 and #AH-599

Catalog # AH-599RS



The Hakko 599 tip cleaner uses fine metal coils to clean the tip. The 599 removes oxides and other contaminants without damaging the long life tip plating.



HAKKO STUDENT IRON STAND

Catalog # AH-603



This stand is specifically designed for the student series irons, AH-80, & AH-100. The base is made of diecast metal with a stainless steel holding piece, sponge is included.



TIP COVER

For use with AH-456 and AH-918 irons.

Catalog # AH-605



WELLER IRONS

80 WATT SOLDERING IRON
120 V., U.L. Listed
Catalog # WLC200



The Weller® *WLC200* 120 volt soldering station offers adjustable tip temperature by varying the heater wattage. By turning the knob on the power base the wattage can be varied from a minimum of 5 watts to a maximum of 80 watts. The *WLC200* comes with a built in iron stand, a tip cleaning sponge, a flat blade set screw, an Allen set screw, and is supplied with a MTG-20 3/8" chisel tip.

Weller®

80 WATT (LIGHTED) SOLDERING IRON
120 V., U.L. Listed
Catalog # SPG-80L



The Weller *SPG-80L* is specifically designed for stained glass work. This medium duty 80-watt soldering iron has been introduced by Weller for the growing stained glass art and craft market. It comes complete with the new, long-life iron plated tips and a soldering iron stand. The new SPG80 with 1/4" and 3/8" chisel-shaped tips develops 950° F. tip temperature for precision soldering of the most intricate work. It measures 9 1/4", weighs 7 ozs, and features a heat and impact resistant handle. For best results use #PH100 stand.

Weller®

WELLER REPLACEMENT TIPS FOR SPG-80L & WLC200

Catalog # MTG-20 3/8" CHISEL TIP
Catalog # MTG-21 1/4" CHISEL TIP
Catalog # MTG-22 GROOVED BEADING TIP

PLATO REPLACEMENT TIPS FOR SPG-80L & WLC200

Catalog # 64-1059 1/4" CHISEL TIP
Catalog # 66-1290 3/8" CHISEL TIP

100 WATT CONTROLLED OUTPUT SOLDERING IRON
120V. 50/60 Hz., 700° , U.L. Listed
Catalog # W-100



8 1/2" long. Weight 8oz. Comes with 3/8" 700° F. Chisel tip. A high quality tool with all the benefits of controlled output and temperature. Temperature selection by merely changing tips. Use with #PH100 stand.

Weller®

WELLER REPLACEMENT TIPS FOR W-100

Catalog # CT6C7 1/8" CHISEL TIP 700°
Catalog # CT6D7 3/16" CHISEL TIP 700°
Catalog # CT6E7 1/4" CHISEL TIP 700°
Catalog # CT6F7 3/8" CHISEL TIP 700° (standard)
Catalog # CT6G7 BEADING TIP 700°
Catalog # CT6D8 3/16" CHISEL TIP 800°
Catalog # CT6F8 3/8" CHISEL TIP 800°

PLATO REPLACEMENT TIPS FOR W-100

Catalog # 6C-3219-7 1/8" CHISEL TIP 700°
Catalog # 6C-3220-7 3/16" CHISEL TIP 700°
Catalog # 6C-1083-8 3/8" CHISEL TIP 800°
Catalog # 6C-1083-7 3/8" CHISEL TIP 700°
Catalog # 6C-0362-7 BEADING TIP 700°

WELLER REPLACEMENT PARTS FOR W-100

Catalog # HEW100P HEATING ELEMENT
Catalog # KN100A KNURLED RING NUT
Catalog # SW100 SWITCH

WELLER IRONS

120 WATT HEAVY DUTY SOLDERING IRON
 120 V., 950°, U.L. Listed
 Catalog # SP-120

Heavy Duty iron for greater output. It is 11 3/8" long. Weights 10 oz. 1/2" diameter tip.



Catalog # MTG-30

WELLER REPLACEMENT TIP FOR SP-120

Weller®

WELLER SOLID STATE SOLDERING GUN
 120 V., 150 Watt, 700°, U.L. Listed
 Catalog # GT-7A



Fast heat, small tip useful for copper foil work, tack soldering, etc. Has quick-release interchangeable powerhead 3/16" chisel tip.

WELLER SOLID STATE SMOKE ABSORBER
 Catalog # WSA350

Catalog # WSA350R

FILTERS 5-PACK



This smoke absorber is designed to remove noxious gasses, safely, quickly and efficiently with a low noise high performance fan. The filter is made by joining specific urethane foam with refined activated carbon having a high absorbing performance.

Catalog # 7A

REPLACEMENT HEAD FOR GT-7A

Weller®

WELLER KITS

Are easy and comfortable to use due to balanced design, lightweight construction and maximum heat protection.

Are economical and durable due to the replaceable modular design.

Have rapid heat recovery for continuous operation.

Are safe to use. U.L. Listed.

BASIC SOLDERING KIT
 Catalog # 1140A

1140A includes the 7760 red handle and the 4033S 1000° F interchangeable heater with integral iron clad, silver plated, long taper chisel shaped tip.



Weller®

CUSTOM SOLDERING KIT
 Catalog # 1175

1175 includes the 7760 red handle, the 37 1100° F interchangeable heater and PL-133 replaceable iron clad, silver plated, long taper chisel shaped tip.



Weller®

WELLER MODULAR PARTS

HANDLE & CORD *Catalog # 7770*



Turquoise colored convection-cooled molded grip. Stainless steel heat reflector. Flexible 2-wire cord. Provides complete interchangeability of all standard line heaters and integral heater/tips. Grip diameter 1", handle length 5". For best results use the #8800 Iron Holder.

Weller®

45 WATT MODULAR HEATER *Catalog # 4033S*



Constructed of rugged corrosion resistant stainless steel, featuring high strength resistance and providing positive heat transfer to the tip. Wedge shaped base guide permits firm taper-fit assembly to the handle.

Weller®

45 WATT MODULAR THREADED HEATER *Catalog # 4037S*



The same performance as the 4033S, but allows you to use interchangeable thread-on tips. (No tip included).

Weller®

50 WATT HIGH-PERFORMANCE HEATER *Catalog # 33*



1100° F heater with integral ironclad, silver-plated, long taper chisel tip.

Weller®

50 WATT HIGH-PERFORMANCE THREADED HEATER *Catalog # 37*



The same high performance as the # 33, but allows you to use interchangeable thread-on tips. (No tip included).

Weller®

Catalog # PL-113 **THREAD-ON TIP**



1/8" standard chisel tip for use on either the 4037S or 37 heaters.

Weller®

Catalog # PL-151 **THREAD-ON TIP**



1/8" taper chisel tip for use on either the 4037S or 37 heaters.

Weller®

Catalog # PL-133 **THREAD-ON TIP**



3/16" chisel tip for use on either the 4037S or 37 heaters.

Weller®

Catalog # PL-153 **THREAD-ON TIP**



3/16" chisel tip for use on either the 4037S or 37 heaters.

Weller®

Catalog # PL-350 **THREAD-ON TIP**



3/8" chisel tip for use on either the 4037S or 37 heaters.

Weller®

Catalog # 8001-1 **TIP ANTI-SEIZE**



Specially formulated lubricant for use on metals operating at high temperatures. Reduces tip thread seizure.

Weller®

IMPORTED IRONS

Catalog # 41100 **SOLDERING IRON, 100 WATT**



This 100 watt "Pro" iron offers the craftsperson a good functional iron at an affordable price. Comes with a 3/8" iron-plated chisel tip and comfortable wooden handle.

Catalog # 4101 **3/8" REPLACEMENT CHISEL TIP**

Catalog # 43100 **TEMPROL 100 SOLDERING IRON**



A quality 100 watt soldering iron temperature controllable from 200° to 1200° F. Comes with a 3/8" chisel tip.

INLAND REPLACEMENT TIPS

Catalog # 4301	1/8" DECORATIVE TIP
Catalog # 4302	3/16" DECORATIVE TIP
Catalog # 4303	1/4" DECORATIVE TIP
Catalog # 4304	3/8" REPLACEMENT TIP (standard)

inland

SOLDERING ACCESSORIES

Catalog # PH100 **SOLDERING IRON STAND**



Specifically designed to extend life of Weller controlled output tools. PH stands have heavy non-sliding cast bases with sponge receptacle and conveniently positioned non-sinking spring stand and funnel. Soldering Tool Stand, with sponge. For W100 and SPG-80L irons.

Catalog # RS1 **REPLACEMENT SPONGE**

Weller®

Catalog # 4129-PRO **SOLDERING IRON STAND**

Similar to stand above. Imported for use with SPG-80L and W-100.



Catalog # 4129A **REPLACEMENT SPONGE**

Catalog # 8000 **SOLDERING IRON HOLDER**

This handy holder attaches easily to any work area for operator safety, convenience and to prevent damage to the soldering irons. Designed for Ungar modular soldering irons.



Weller®

Catalog # GSC-1 **SOLDERING IRON CONTROL**



Featuring a one full year warranty, "ON" indicator light and a rating of 15 amps or 1800 watts. Uses no fuses, Useful for controlling the temperature of an iron to suit various soldering conditions. Now with grounded plugs.

Clacta®

Catalog # IA-FT **FUME TRAP**



The Inland fume trap is built with a 110 CFM fan that absorbs and re-directs fumes away from your work area. It is constructed with a rugged metal case for durability, top mounted handle for portability, non-skid rubber feet for stability, uses disposable "snap-in" charcoal filter cartridges and comes with a two year warranty.

Catalog # IA-FT-R **REPLACEMENT FILTER (3pk)**



Catalog # IA-SS **SOLDERING STATION**



A complete organizer for your most important soldering items, including:
+ Built-in iron temperature control
+ Built-in outlet for your soldering iron
+ 6 ft. power cord, extends the reach of your iron
+ Soldering iron holder
+ Tip cleaning sponge and metal drip cover.
+ Flux bottle well, flux brush and brush holder
+ Solder iron cord router
+ Tip and tool tray.



Catalog # ISC-2 **SOLDERING IRON CONTROL**



"The Mini Phaser" iron control is solid state circuitry for precise current and temperature control. Comes with LED indicator light and extra-wide base for stability. Now with grounded plugs.



Catalog # PSC-1 **SOLDERING IRON CONTROL**



Fully solid state, this "Pro" iron control has 800 watt capacity and is unconditionally guaranteed. Now with grounded plugs.

Catalog # T-100 **KLEEN-TIP SPONGE & TRAY**



Tray fastens securely to workbench. Includes specially processed sponge for tip cleaning. Removes oxidation. Helps to prevent contamination.



Catalog # T-100RS **REPLACEMENT SPONGE**

Catalog # 5004 **DESOLDERING BRAID**



"Super Wick" is made from pure copper wire with nothing added to reduce its performance. It is simply laid against the area to be desoldered and a hot soldering iron applied on top of the wick. As the solder becomes molten, it immediately "Wicks" by capillary action into the braid. Size is .1" (2.5mm) wide by 5' (1.5m) long.